



**Aditi Mahavidyalaya
(University of Delhi)
Delhi Auchandi Road, Bawana, Delhi-110039**


Ph: 011-2752741, 011-27751317

Ref No. AMV/IQAC/SSR-CR4/ 4.1.2

4.1.2 Percentage of expenditure, excluding salary for infrastructure augmentation during last five years.

Links to the Supporting Documents

Expenditure on infrastructure augmentation	https://aditi.du.ac.in/wp-content/uploads/2023/06/Augmentation-Audit-Account-1.pdf
---	---


अशुतोष अग्रवाल/ASHUTOSH AGGARWAL
विभाग अधिकारी (प्रशासन)/Section Officer (Admin)
अदिति महाविद्यालय/Aditi Mahavidyalaya
दिल्ली विश्वविद्यालय/University of Delhi
बवाना, दिल्ली-110039/Bawana, Delhi-110039


**I.Q.A.C.
Coordinator**
Aditi Mahavidyalaya
Bawana, Delhi-110039


प्रोफेसर मनिता शर्मा/Professor Manita Sharma
प्रिंसिपल-बवाना /Professor-Principal
अदिति महाविद्यालय/Aditi Mahavidyalaya
दिल्ली विश्वविद्यालय /University of Delhi
बवाना, दिल्ली-110039/Bawana, Delhi-110039



ADITI MAHAVIDYALAYA (UNIVERSITY OF DELHI)



ADITI MAHAVIDYALAYA
(UNIVERSITY OF DELHI)



Criterion 4: - Infrastructure and Learning Resources

Key Indicator- 4.1.2 *Expenditure, excluding salary for infrastructure augmentation*

Submitted to


National Assessment and Accreditation Council (NAAC)

(2017-22)

4.1.2 Percentage of expenditure, excluding salary for infrastructure augmentation during last five years

S.No	DOCUMENT NAME	LINK
1.	Expenditure on infrastructure augmentation	https://aditi.du.ac.in/wp-content/uploads/2023/06/Augmentation-Audit-Account-1.pdf




अशुतोष अग्रवाल/ASHUTOSH AGGARWAL
विभाग अधिकारी (प्रशासन)/Section Officer (Admin)
अदिति महाविद्यालय/Aditi Mahavidyalaya
दिल्ली विश्वविद्यालय/University of Delhi
बवना, दिल्ली-110039/Bawana, Delhi-110039


I.Q.A.C.
Cordinator
Aditi Mahavidyala
Bawana, Delhi-110039


प्रोफेसर मनीता शर्मा/Professor Manita Sharma
प्रिंसिपल-बवना / Professor-Principal
अदिति महाविद्यालय/Aditi Mahavidyalaya
दिल्ली विश्वविद्यालय /University of Delhi
बवना, दिल्ली-110039/Bawana, Delhi-110039